



Problemă	Soluție
Mană - <i>Plasmopara viticola</i>	<p>Polyram® DF 2 kg/ha</p> <p>Delan® Pro 3-4 l/ha</p> <p>Cabrio® Top 1,5 - 2 kg/ha </p> <p>Delan® Pro 3-4 l/ha</p> <p>Soriale® LX* + partener 3 - 4 l/ha</p>
Făinare - <i>Uncinula necator</i>	<p>Kumulus® DF 3 kg/ha</p> <p>Sercadis® 0,15 l/ha</p> <p>Vivando® 0,2 l/ha</p> <p>Sercadis® 0,15 l/ha</p> <p>Vivando® 0,2 l/ha</p> <p>Revyona® 1 l/10.000 m² suprafața peretelui foliar</p>
Putregai negru - <i>Guignardia bidwelli</i>	<p>Revyona® 1 l/10.000 m² suprafața peretelui foliar</p> <p>Delan® Pro 3-4 l/ha</p>
Putregaiul negru, Mană, Făinare, Excorioza	<p>Cabrio® Top 1,5 - 2 kg/ha </p>
Putregaiul cenușiu - <i>Botrytis cinerea</i>	<p>Scala® 2 l/ha</p> <p>Cantus® 1 kg/ha</p>
	<p>10</p> <p>11-19 Lăstar 5-7 cm</p> <p>51-53 Lăstar 20-25 cm</p> <p>57-60 Înainte de înflorit</p> <p>65 Înflorit</p> <p>71-73 75-77 79 Creșterea boabelor</p> <p>81 89 Coacere</p> <p>Căderea Frunzelor</p>

*+ fungicid cu acțiune de contact
(ex. Polyram® DF.)

Stadii BBCH